

# DOSAGE CHART

<b>TYLENOL Every 4-6 Hours - For Fevers</b>				
Weight	Infant Drops	Liquid	Chewable	Jr. Strength
	<b>80mg/0.8cc</b>	<b>160mg/5cc</b>	<b>80mg tablet</b>	
6-11 Lbs	Consult Doctor			
12-17 Lbs	0.8ml	1/2 tsp.	N/A	N/A
18-23 Lbs	1.2ml	3/4 tsp	N/A	N/A
24-35 Lbs	1.6ml	1tsp	2	N/A
36-47 Lbs	N/A	1&1/2 tsp	3	N/A
48-59 Lbs	N/A	2 tsp.	4	2 Tablets
60-71 Lbs	N/A	2&1/2 tsp.	5	2 1/2 Tablets
72-95 Lbs	N/A	3 tsp.	6	3 Tablets
96 Lbs & over	N/A	N/A	N/A	4 Tablets

**TYLENOL: Do not give Tylenol to children younger than 4 months unless instructed by your physician**

<b>IBUPROFEN (Advil or Motrin) Every 6- 8 Hours - For Pain or Fevers</b>						
Weight	Infant Drops	Children Liquid	Chewable	Jr. Chewable	Jr. Coated Tabs	Childrens Advil
	<b>50mg/0.8cc</b>	<b>100mg/5ml</b>	<b>50mg</b>	<b>100mg</b>	<b>100mg</b>	
< 12 Lbs.	Consult Doctor	N/A	N/A	N/A	N/A	N/A
12-17 Lbs	1.25 ml	1/2 tsp.	N/A	N/A	N/A	N/A
18-23 Lbs	1.875 ml	3/4 tsp.	N/A	N/A	N/A	N/A
24-35 Lbs	N/A	1 tsp.	2 Tablets	N/A	N/A	1 tsp.
36-47 Lbs	N/A	1 1/2 tsp.	3 Tablets	N/A	N/A	1 tsp.
48-59 Lbs	N/A	2 tsp.	4 Tablets	2 Tablets	2 Tablets	2 tsp.
60-71 Lbs	N/A	2 1/2 tsp.	5 Tablets	2 1/2 Tablets	2 Tablets	2 tsp.
72-95 Lbs	N/A	3 tsp.	6 Tablets	3 Tablets	3 Tablets	2 tsp.

**MOTRIN: \*\*NOT FOR CHILDREN UNDER 6 MONTHS OF AGE\*\*\***

<b>BENADRYL Every 4-6 Hours - For Allergy Symptoms</b>			
Weight	Liquid	Chewable Tab.	Tablet 25 mg.
	<b>12.5mg/5ml</b>		
11-16 Lbs	1/2 tsp.	Use Liquid	Use Liquid
17-21 Lbs	3/4 tsp.	Use Liquid	Use Liquid
22-32 Lbs	1 tsp.	1 Tablet	Use Liquid or Chews
33-42 Lbs	1 1/2 tsp.	1 1/2 Tablet	Use Liquid or Chews
43-53 Lbs	2 tsp.	2 Tablets	1 Tablet
54-64 Lbs	2 1/2 tsp.	2 1/2 Tabs	
65-75 Lbs	3 tsp.	3 Tablets	
76-86 Lbs	3 1/2 tsp.	3 1/2 Tabs	
>86 Lbs +	4 tsp.	4 Tabs	2 Tablets